

Acer Veriton N270G



Caratteristiche Principali

- Sistema operativo: Windows® 7 Professional Autentico
- Processore: Intel® Atom™ D510
- Intel® Graphics Media Accelerator X4500M
- Dimensioni: 192 (L) x 192 (H) x 36 (W)

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grande aziende

Punti Chiave

- Mini PC dal design innovativo
- Dotato di supporto con attacco Vesa per montaggio sul Monitor
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Processore	Processore Intel® Atom™ D510
Chipset	Intel® NM10 Express
Memoria	Fino ad un massimo di 4 GB DDR2 667 MHz SDRAM (single-channel)
Alloggiamenti Storage	Disco fisso ATA fino a 160 GB
Scheda grafica	Intel® D510 che supporta: Intel® Graphics Media Accelerator 3150 (Intel® GMA 3150), supporto Intel® Dynamic Video Memory Technology (DVMT) 4.0 Supporto Microsoft® DirectX® 9
Audio	Supporto audio Embedded High-definition da 2-channel
Connettività	LAN: Gigabit Ethernet
Interfacce di Input/Output	6 porte USB 2.0 Porta D-Sub VGA Jack High-definition per cuffie e microfono Porta Ethernet (RJ-45) Porta seriale (Serial port) Jack DC-in
Espandibilità Input/Output	Lettore Multi-in-1 card, che supporta Secure Digital™ (SD), MultiMediaCard (MMC), xD-Picture Card™ (xD), Memory Stick™ (MS)
Software di gestione	1 Slot PCI Express® Mini 1.1 Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, PowerSaver, QuickMigration, SmartBoot) Acer Client Manager (gratuito per 60 giorni) Acer Security Suite Acer eRecovery Management Adobe® Reader® CyberLink® PowerDVD™ Acer Veriton HelpDesk McAfee® Internet Security Suite Prova (gratuito per 60 giorni) Microsoft® Office 2007 Service Pack 2 (Ready/Prova)
Sicurezza	Acer eLock Management Slot Kensington lock One Button Recovery (1 tasto di recupero dati)
Tastiera e Mouse	Tastiera Acer USB e Mouse Acer USB (opzionali)
Dimensioni (mm)	192 (L) x 192 (A) x 36 (P)
Compatibilità	PC 2001, Energy Star®, EuP Lot 6
Certificazioni	FCC, CE, BSMI, CCC, VCCI, MET, Nemko (CB & Bauart)
Alimentatore	Adattatore da 65 W con cavo d'alimentazione
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Monitor	Monitor Acer LCD (opzionale)
Opzionale	Kit di montaggio VESA Scheda Mini PCI Express® Wireless LAN

Modello	Part Number	Listino	
Acer Veriton N270G Linpus® Linux® X Window , Intel® Atom™ D510 (1.66 GHz), 1GB DDR2, 160 GB 2.5"5400RPM, VGA Intel® Graphics Media Accelerator 4500M (on-board) - HDMI, no DVD, Card Reader multiformato, tastiera e Mouse non inslucsi, Kit montaggio VESA	PS.VAXEC.001	EUR 206.00	
Acer Veriton N270G Windows® 7 Professional Autentico , Intel Atom D510 (1.66 GHz), 2GB DDR2, 250 GB 2.5"5200 RPM, VGA Intel® Graphics Media Accelerator X4500 (on-board), tastiera multimediale e Mouse USB, Kit montaggio VESA, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAXE3.005	EUR 364.00	

Acer Veriton Z280G



Caratteristiche Principali

- Sistema operativo: Windows7 Professional
- Processore: Intel® Atom™ N270
- Chipset Intel® 945GSE Express
- Monitor 18.5" Widescreen 16:9

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Soluzione All in One
- Silenzioso e a basso consumo energetico
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico
CPU	Intel® Atom™ N270 processor
Chipset	Intel® 945GSE Express Chipset
Memoria di sistema	Up to 2 GB of DDR2 533 MHz SDRAM (single-channel support on one DIMM)
Monitor	18.5" widescreen with 16:9 aspect ratio 1366 x 768 native resolution 5 ms response time 250 nits (cd/m2) brightness 1000:1 (ACM) contrast ratio
Disco fisso	Serial ATA hard disk up to 250 GB Solid state drive up to 16 GB Specifications vary depending on model
Dispositivo	SuperMulti
Card Reader	Multi-in-1 card reader, supporting: MultiMediaCard (MMC), Secure Digital™ (SD) Card, Memory Stick™, Memory Stick PRO™, Specifications vary depending on model
Scheda grafica	Intel® Graphics Media Accelerator 950
Audio	Embedded high-definition audio
Interfaccia di rete	LAN: Gigabit Ethernet WLAN (Optional): Integrated 802.11b/g/Draft-N or 802.11b/g
Interfacce di Input/Output (I/O)	Side: Two USB 2.0 ports, Multi-in-1 card reader, High-definition headphone and microphone jacks, Brightness-control button, Rear: Three USB 2.0 ports, PS/2 keyboard and mouse ports, Ethernet (RJ-45) port, Audio jack
Software di gestione	Acer eRecovery Management Acer Client Manager Acer Security Suite Microsoft® Office 2007 (Ready/Trial) Service Pack 1 McAfee® Internet Security Suite 2009 Trial Adobe® Reader® CyberLink® PowerDVD™ Google Toolbar™ and Desktop Search™
Dimensioni (mm)	484 (W) x 380.9 (H) x 54.55(D) mm
BIOS	Phoenix BIOS compatible with SMBIOS 2.4
Compatibilità	PC 2001, ENERGY STAR ®
Certificazioni	FCC, CE, BSMI, VCCI, CB, Bauart, MET
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre Carry In)

Modello	Part Number	Listino
Acer Veriton Z280G Windows® 7 Professional Autentico , Intel Atom N270 (1.60GHz), 2GB DDRII, 250GB SATAII 2.5", Intel Graphics Media Accelerator 950GSE (on board), DVD RW Super Multi, Card Reader multi formato, tastiera e Mouse PS/2, Wi-Fi, Windows® XP Professional (Dual Load multilingua) - Office Ready	PQ.VA8E3.012	EUR 576.00

Acer Veriton M421G



Caratteristiche Principali

- CPU AMD Athlon™ X2 e AMD Athlon™
- Chipset AMD RS780G / AMD SB700
- Fino a 8GB DDR2 667/800MHz (dual-channel)
- VGA ATI HD3200 con ATI SurroundView™ e dual-view support PCI

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Supporto fino a 8GB di memoria su 4 Slot DIMM per funzioni multi-tasking senza compromessi
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	AMD Athlon™ X2 dual-core processor AMD Athlon™ processor North Bridge: AMD RS780G South Bridge: AMD SB700
Alloggiamenti Storage	Two 5.25" drive bays Six 3.5" drive bays (2 x external, 4 x internal)
Interfaccia di rete	Gigabit ethernet Independent LAN Controller: Marvell 8071
Memoria di sistema	Up to 8GB DDR2 667/800MHz SDRAM (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	Front I/O ports: • Four USB 2.0 ports • Headphone and microphone jacks Rear I/O ports: • Four USB 2.0 ports • PS/2 keyboard and mouse ports • Ethernet (RJ-45) port • Six audio jacks • VGA port • DVI-D port • Serial port
Espandibilità Input/Output (I/O)	PCI Express® x16 slot PCI Express® x1 slot Two PCI v2.3 (5V) slots
Scheda grafica	ATI HD3200 graphics with ATI SurroundView™ and dual-view support PCI Express® 2.0 x16 graphics card support DirectX10 ATI Hybrid Graphics support
Audio	Embedded high-definition audio with 7.1-channel audio support - Realtek ALC888S
Tastiera e Mouse	USB or PS/2 keyboard USB or PS/2 optical mouse
Sicurezza	Anti-virus 60 days free Acer eLock Management Acer TPM-based eDataSecurity Management Lock pad and intrusion alert OneButton Recovery Padlock and Kensington lock slots
Dimensioni (mm)	181.5(W) x 451.3(D) x 376.9(H)
Software di gestione	Acer Empowering Technology (eRecovery, eLock, eSetting Management)
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Alimentatore	300W
Standard industriali	PC 2001, ENERGY STAR® 4.0
Certificazioni	FCC, CE, BSMI, CCC, Nemko, CB, Bauart, GS, MET

Modello	Part Number	Listino
Acer Veriton M421G Windows® 7 Professional Autentico , Athlon LE-1660 (2.8GHz 512KB L2), 1GB DDR2, 320GB 7200RPM SATA-II, VGA AMD HD Radeon 3200 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V89E3.012	EUR 364.00

Acer Veriton S421G



Caratteristiche Principali

- CPU AMD Athlon™ X2
- Fino a 8 GB DDR2 667/800 MHz SDRAM (dual-channel)
- VGA ATI Radeon™ HD 3200 Graphics con ATI SurroundView™ e dual-view support
- 135 (W) x 395 (D) x 335 (H) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Formato compatto/convertibile
- Supporto 8GB RAM su 4 Slot DIMM
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	AMD Phenom™ X4 quad-core processor AMD Athlon™ X2 dual-core processor AMD Athlon™ processor AMD Sempron™ processor North Bridge: AMD RS780 Chipset South Bridge: AMD SB700
Alloggiamenti Storage	1x 5.25" drive bay 4x 3.5" drive bays (two external, two internal)
Interfaccia di rete	Gigabit, Independent LAN Controller Marvell 8071
Memoria di sistema	Up to 8 GB DDR2 667/800 MHz SDRAM (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	2x USB 2.0 ports (front) High-definition headphone and microphone jacks (front) 4x USB 2.0 ports (rear) PS/2 keyboard and mouse ports (rear) Serial port (rear) D-sub port, DVI port (rear) Ethernet (RJ-45) port (rear) Six audio ports (rear)
Espandibilità Input/output (I/O)	1x PCI Express® 2.0 x16 slot 1x PCI Express® 2.0 x1 slot 2x PCI v2.3 (5 V) slots
Scheda grafica	ATI Radeon™ HD 3200 Graphics with ATI SurroundView™ and dual-view support ATI Hybrid Graphics support Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 7.1-channel, Realtek ALC888S
Tastiera e Mouse	USB or PS/2 keyboard and mouse
Sicurezza	Acer eLock Management Acer TPM-based eDataSecurity Management Padlock and Kensington lock slots Lock pad and intrusion alert OneButton Recovery
Dimensioni (mm)	135 (W) x 395 (D) x 335 (H) mm
Software di gestione	Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Empowering Technology (eLock, eRecovery, eSettings Management) Microsoft® Office 2007 (Ready/Trial) Service Pack 1 Anti-virus 60 days free Acer Security Suite with Wave® EMBASSY® Trust Suite Adobe® Reader® CyberLink® PowerDVD® NTI Media Maker™
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Standard industriali	AMI PnP BIOS compatible with SMBIOS 2.4, PC 2001, Energy Star®, EPEAT™
Alimentatore	300W
Certificazioni	FCC, CE, BSMI, CCC, Nemko, CB, Bauart, GS, MET

Modello	Part Number	Listino
Acer Veriton S421G Windows® 7 Professional Autentico , AMD Athlon II X2 215 (2.7GHz), 2GB DDR2, 320GB 7200RPM SATA-II, VGA AMD HD Radeon 3200 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V90E3.005 PS.V90E3.007	EUR 423.00

Acer Veriton M265



Caratteristiche Principali

- Intel® Pentium Dual Core™ Intel® Core 2 Duo™
- Intel® G31 Express Chipset
- Intel Graphics Media Accelerator(GMA) 3100
- Acer Empowering Technology

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Facile da utilizzare e da espandere (8 porte USB, 2 slot PCI, ..)
- Supporta CPU Intel® su Chipset Intel®
- Ridotto consumo energetico

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor Intel® Pentium Dual Core™ Intel® Core 2 Duo™ Intel® G31 Express Chipset ICH7DH South Bridge
Alloggiamenti Storage	Two 5.25"drive bays Six 3.5"drive bays (2 external / 4 internal)
Interfaccia di rete	Embedded 10/100/1000 base TX Ethernet controller
Memoria di sistema	2 x DDR2 667/800 Socket (Dual channel support) Maximum 4GB
Interfacce di Input/Output (I/O)	1 x Parallel, 1 x Serial PS2/USB Optical/Ball Mouse, PS2/USB Keyboard 6 x USB ports (2 front, 4 rear) 1 VGA port 1 Gigabit Ethernet Port 8 ports jack support HD audio output
Espandibilità Input/Output (I/O)	Two PCI slots 1 x PCI Express™ X16 slot 1 x PCI Express™ X1 slot
Scheda grafica	Intel Graphics Media Accelerator(GMA) 3100 PCI-e x16 VGA Add-On Card (Option)
Audio	Embedded CODEC Realtek ALC888S with 7.1 channel audio support.
Tastiera	PS2/USB keyboard
Monitor	choice of Acer CRT or LCD monitor
Sicurezza	Acer Empowering Technology Lock pad
Dimensioni (mm)	180(W) x 441.5(D) x 367(H)
Software di gestione	Acer Empowering Technology Acer Client Manager Powered by ALTIRIS Anti-virus 60 days free Adobe® Reader® Cyberlink® Power2Go™ for DVD SKU NTI MediaMaker™ for DVD Burner SKU
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Standard industriali	PnP BIOS compatible with SMBIOS 2.4, PC2001
Alimentatore	250W
Certificazioni	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL

Modello	Part Number	Listino
Acer Veriton M265 Windows® 7 Professional Autentico , Intel E3300 (2.54GHz 1MB), 1GB DDR2, 320 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator 3100 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V88E3.067	EUR 376.00
Acer Veriton M265 Windows® 7 Professional Autentico , Intel Pentium Dual Core E5400 (2.7GHz 2MB), 2GB DDR2, 320GB 7200RPM SATA-II, VGA Intel® GMA 3100 (on-board) fino a 310MB, DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V88E3.068 PS.V88E3.069	EUR 423.00

Acer Veriton X275



Caratteristiche Principali

- Intel® Pentium Dual Core™ Intel® Core 2 Duo™
- Chipset Intel® G41
- Fino a 4 GB DDR3 800/1066 MHz SDRAM (dual-channel support)
- 101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni eccellenti in 9 litri di volume
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Processore	Processore Intel® Core™2 Quad (fino a 1333 MHz FSB) Processore Intel® Core™2 Duo Processore Intel® Pentium® Processore Intel® Celeron®
Chipset	Intel® G41 Express
Memoria di sistema	Up to 4 GB DDR3 800/1066 MHz SDRAM (dual-channel support on two DIMMs)
Disco fisso	Serial ATA hard disk up to 1 TB
Drive ottico	SuperMulti or DVD-ROM
Alloggiamenti Storage	One 5.25" drive bay One 3.5" internal drive bay
Scheda grafica	Intel® G41 graphics solution, featuring: • Intel® Graphics Media Accelerator X4500 (Intel® GMA X4500) • Intel® Flex Memory Technology • Intel® Clear Video Technology • Microsoft® DirectX® 10 support PCI Express® 1.1 x16 graphics card support
Audio	Embedded high-definition audio with 5.1-channel surround sound support
Connettività	LAN: Gigabit Ethernet
Interfacce Input/Output (I/O)	4x USB 2.0 ports (front) or 3x USB 2.0 ports on models with multi-in-1 card reader 6x USB 2.0 ports (rear) 2x PS/2 ports (rear) VGA port (rear) Ethernet (RJ-45) port Serial port (rear) Three audio ports (rear) High-definition headphone and microphone jacks (front) Multi-in-1 card reader (optional)
Espandibilità Input/Output (I/O)	PCI Express® 1.1 x16 slot PCI Express® 1.1 x1 slot Two PCI v2.3 (5 V) slots Serial port connector (optional) Parallel port connector (optional)
Tastiera e Mouse	Acer wireless, USB or PS/2 keyboard and mouse (optional)
Monitor	Acer LCD monitor (optional)
Software di gestione	Acer Client Manager Acer eRecovery Management Acer Security Suite Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® CyberLink® Power2Go® Microsoft® Office 2007 (Ready/Trial) Service Pack 1 McAfee® Internet Security Suite 2009 Trial (60 days free) NTI Media Maker™
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Sicurezza	Acer eLock Management Padlock and Kensington lock slots Intrusion alert TPM module (optional) OneButton Recovery
Dimensioni (mm)	101.5 (W) x 396.84 (D) x 266.5 (H) mm (with bezel)
BIOS	Acer PnP BIOS compatible with SMBIOS 2.6
Alimentatore	220 W
Compatibilità	PC 2001
Certificazioni	VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & GS), UL

Modello	Part Number	Listino
Acer Veriton X275 Free DOS, Intel E3300 (2.54GHz 1MB), 1GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2	PS.VAME9.004	EUR 253.00
Acer Veriton X275 Windows® 7 Professional Autentico, Intel Pentium Dual Core E5400 (2.7GHz 2MB), 1GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAME3.020	EUR 388.00

Acer Veriton X275 Windows® 7 Professional Autentico, Intel Pentium Dual Core E5400 (2.7GHz 2MB), 2GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAME3.015	EUR 423.00	
Acer Veriton X275 Windows® 7 Professional Autentico , Intel Pentium Dual Core E5400 (2.7GHz 2MB), 3GB DDR3, 500GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAME3.016	EUR 458.00	

Acer Veriton X480G



Caratteristiche Principali

- Chipset Intel® G43 Express
- Fino a 8 GB DDR3 800/1066 MHz SDRAM (dual-channel)
- 101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)
- PC 2001, ENERGY STAR® 5.0

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Formato compatto e convertibile (utilizzabile in verticale o orizzontale)
- Connettività evoluta (e-SATA, DVI, 10 porte USB, ...)
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico Free DOS
Chipset	North Bridge: Intel® G43 Express Chipset South Bridge: ICH10R
CPU	Intel® Core™2 Quad processor Intel® Core™2 Duo processor Intel® Pentium® processor
Alloggiamenti Storage	1x 5.25" drive bay 1x 3.5" drive bay (internal)
Interfaccia di rete	LAN: Gigabit Ethernet; Independent LAN Controller: Broadcom 5764M
Memoria di sistema	Up to 8 GB DDR3 800/1066 MHz SDRAM (dual-channel support on four DIMMs)
Interfacce di Input/Output (I/O)	Four USB 2.0 ports (Front) High-definition headphone and microphone jacks (Front) Six USB 2.0 ports (Rear) PS/2 keyboard and mouse ports (Rear) Ethernet (RJ-45) port (Rear) Three audio ports (Rear) eSATA port (Rear) Serial port (Rear) Porta VGA (DSUB 15) e porta DVI-D
Espandibilità Input/Output (I/O)	1x PCI Express® 2.0 x16 slot 1x PCI Express® 2.0 x1 slot
Scheda grafica	Intel® Graphics Media Accelerator X4500 (Intel® GMA X4500) Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support Intel® Clear Video Technology Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 5.1-channel surround sound support Realtek ALC662-VC
Sicurezza	Acer eLock Management Kensington & Pad lock Intrusion alert OneButton Recovery
Disco fisso	Serial ATA hard disk
Dimensioni (mm)	101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)
Software di gestione	Acer eRecovery Management Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Client Manager Acer Security Suite Microsoft® Office 2007 Ready Anti-virus 60 days free Adobe® Reader® CyberLink® PowerDVD® NTI Media Maker
Standard industriali	PC 2001, ENERGY STAR® 5.0
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & GS)
Alimentatore	220W
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)

Modello	Part Number	Listino
Acer Veriton X480G Windows® 7 Professional Autentico , Intel Pentium Dual Core E6500 (2.93GHz 2MB), 2GB DDR3, 500 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V97E3.048	EUR 470.00
Acer Veriton X480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V97E3.051	EUR 500.00

Acer Veriton M480G



Caratteristiche Principali

- CPU Intel® Core™2 Quad, Intel® Core™2 Duo e Intel® Pentium® processor
- Chipset Intel® G43 / ICH10R
- 4 Slot RAM DDR3 1066MHz (Dual channel)
- AMI PnP BIOS compatible with SMBIOS 2.5, PC 2001, Energy Star®, EPEAT® Silver

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni eccellenti
- Facile da utilizzare grazie alla funzione di gestione dei software Acer Client Manager
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor Intel® Core™2 Duo processor Intel® Pentium® processor North Bridge: Intel® G43 South Bridge: ICH10R
Alloggiamenti Storage	2 x external 5.25" drive bays 6 x 3.5" bays (two external, four internal)
Interfaccia di rete	10/100/1000 Mbps, Independent LAN Controller Marvell 88E8071
Memoria di sistema	4 x DDR3 800MHz / 1066MHz Dual channel SDRAM Maximum 8GB
Interfacce di Input/Output (I/O)	2x PS/2 ports 1x RS232 serial port, 1x Serial Port on board header 1x DVI-D port 1x VGA (D-sub) port 10x USB 2.0 ports (four front, six rear) 1x ethernet (RJ-45) port 3x rear audio jacks and 2x front audio jacks for 5.1 channel audio HD headphone and microphone jacks
Espandibilità Input/Output (I/O)	1 x PCI Express® 2.0 x1 slot 1 x PCI Express® 2.0 x16 slot 2 x PCI v2.3 (5 V) slots
Scheda grafica	Intel® G43 graphics solution, featuring: - Intel® Graphics Media Accelerator 4500 - Intel® Clear Video Technology - Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support - Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 5.1 channel Realtek ALC662-VC
Tastiera e Mouse	PS/2 or USB keyboard and USB optical mouse
Monitor	Optional Acer 19"4:3, Acer 19"W 16:9 or Acer 17"4:3
Sicurezza	Acer eLock Management Intrusion alert One Button Recovery Padlock and Kensington lock slot
Dimensioni (mm)	180 (W) x 440 (D) x 352 (H) (with bezel)
Software di gestione	Acer Empowering Technology Acer Client Manager Anti-virus 60 days free Microsoft Office 2007 (Ready/Trial) Service Pack 1 Cyberlink® PowerDVD™ Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Security Suite with Wave® EMBASSY® Trust Suite Adobe® Reader® NTI Media Maker™ Intel® Matrix Storage Manager
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Standard industriali	AMI PnP BIOS compatible with SMBIOS 2.5, PC 2001, Energy Star®, EPEAT® Silver
Alimentatore	300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & GS)

Modello	Part Number	Listino
Acer Veriton M480G Windows® 7 Professional Autentico , Intel Pentium Dual Core E6500 (2.93GHz 2MB), 3GB DDR3, 500GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V75E3.061 PS.V75E3.065	EUR 500.00
Acer Veriton M480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 500GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera e Mouse PS2, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V75E3.064 PS.V75E3.068	EUR 517.00

Acer Veriton X490G



Caratteristiche Principali

- Supporto CPU Core-i
- Chipset Intel® H57 Express
- Fino a 16 GB DDR3 1066/1333 MHz SDRAM (dual-channel)
- 101.5(W) x 396.84(D) x 266.5(H) mm (with bezel)
- PC 2001, ENERGY STAR® 5.0

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Compatto e silenzioso
- Risparmio energetico e tutela dell'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Free DOS
Processore	Processore Intel® Core™ i7 Processore Intel® Core™ i5 Processore Intel® Core™ i3
Chipset	Intel® H57 Express
Memoria	Fino ad un massimo di 16 GB di DDR3 1066/1333 MHz SDRAM (supporto dual-channel su 4 DIMMs)
Disco fisso	Disco fisso ATA fino a 1 TB Intel® Rapid Storage Technology (opzionale)
Drive ottico	SuperMulti o DVD-ROM
Alloggiamenti Storage	1 alloggiamento 5.25" 1 alloggiamento interno 3.5"
Scheda grafica	Integrata soluzione grafica per Intel® Core i3/i5 caratterizzata: • supporto Intel® HD Graphics • supporto Intel® Dynamic Video Memory Technology (Intel® DVM) • supporto Microsoft® DirectX® 10 Processori Intel® Core i7 e Core i5 700 richiedono una scheda grafica con prestazioni elevate Supporto scheda grafica PCI Express® 2.0 x16
Audio	Embedded high-definition audio with 5.1-channel surround sound support
Connettività	LAN: Gigabit Ethernet
Interfacce Input/Output (I/O)	10 porte USB 2.0 (4 frontali, 6 retro) 2 porte PS/2 (retro) Porta VGA (retro) Porta Ethernet (RJ-45) Porta eSATA (retro) Porta Serial (retro) Porta DVI-D (retro) 3 porte audio (retro) Jack High-definition per microfono e cuffie (frontali) Lettore Multi-in-1 (opzionale)
Espandibilità Input/Output	16 slot PCI Express® 2.0 1 slot PCI Express® 2.0 Connettore Serial port (opzionale) Connettore Parallel port (opzionale)
Tastiera e Mouse	Tastiera e mouse Acer wireless USB o PS/2 (opzionali)
Monitor	Monitor Acer LCD (opzionale)
Software in gestione	Acer Backup Manager Acer Client Manager Acer eRecovery Management Acer Security Suite Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® Intel® Rapid Storage technology Microsoft® Office 2007 (Ready/Prova) Service Pack 2 McAfee® Internet Security Suite 2009 Trial (g60 giorni prova gratuita) Nero® 9 Essentials
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Sicurezza	Acer eLock Management Padlock and Kensington lock slots Intrusion alert TPM module (optional) OneButton Recovery
Dimensioni (mm)	101.5 (L) x 396.84 (P) x 266.5 (A) (con bezel)
BIOS	Acer PnP BIOS compatibile con SMBIOS 2.6
Alimentatore	220 W
Compatibilità	PC 2001, Energy Star®, GS
Certificazioni	VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart, GS), UL

Modello	Part Number	Listino
Acer Veriton X490G Windows® 7 Professional Autentico , Intel® Core™ i3-530 (2.93GHz 4MB), 2GB DDR3, 320 GB 7200PRM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAVE3.017	EUR 517.00

Acer Veriton M490G



Caratteristiche Principali

- Supporto CPU Core-i
- Chipset Intel® H57
- Fino a 16 GB DDR3 1066/1333 MHz SDRAM (dual-channel)
- Acer PnP BIOS compatibile con SMBIOS 2.6, PC 2001, Energy Star®

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Elevata espansibilità e funzioni multi-tasking
- Risparmio energetico e tutela ambientale

Specifiche Tecniche

Processore	Intel® Core™ i3 processor Intel® Core™ i5 processor
Chipset	Intel® H57 Express Chipset
Memoria di sistema	Up to 16 GB of DDR3 1066/1333 MHz SDRAM (dual-channel support on four DIMMs)
Disco fisso	Serial ATA hard disk up to 1 TB RAID 0, 1, 5, 10 and Intel® Rapid Storage technology RAID capability (optional) Support for RAID 0 and 1 requires two hard drives, RAID 5 requires three, and RAID 10 requires four
Drive ottico	SuperMulti or DVD-ROM
Alloggiamenti Storage	Two 5.25" drive bay Six 3.5" drive bays (two external, four internal)
Scheda grafica	Intel® Core i3/i5 integrated graphics solution, featuring: • Intel® HD Graphics support • Intel® Dynamic Video Memory Technology (Intel® DVM) support • Microsoft® DirectX® 10 support PCI Express® 2.0 x16 graphics card support
Audio	Embedded high-definition audio with 5.1-channel surround sound support
Connettività	LAN: Gigabit Ethernet
Interfacce Input/Output (I/O)	10x USB 2.0 ports (4 front, 6 rear) 2x PS/2 ports (rear) VGA port (rear) Ethernet (RJ-45) port (rear) Serial port (rear) DVI-D port (rear) Three audio ports (rear) High-definition headphone and microphone jacks (front) Multi-in-1 card reader (optional)
Espandibilità Input/Output (I/O)	PCI Express® 2.0 x16 slot PCI Express® 2.0 x1 slot PCI v2.3 (5 V) x2 slots Serial port connector (optional) Parallel port connector (optional)
Tastiera e Mouse	Acer wireless, USB or PS/2 keyboard and mouse (optional)
Monitor	Acer LCD monitor (optional)
Software di gestione	Acer Backup Manager, Acer Client Manager, Acer eRecovery Management, Acer Security Suite Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® Intel® Rapid Storage technology Microsoft® Office 2007 (Ready/Trial) Service Pack 2 McAfee® Internet Security Suite 2009 Trial (60 days free) Nero® 9 Essentials
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Sicurezza	Acer eLock Management, Padlock and Kensington lock slots, Intrusion alert, TPM module (optional), OneButton Recovery
Dimensioni (mm)	180 (W) x 440 (D) x 352 (H) mm (with bezel)
BIOS	Acer PnP BIOS compatibile con SMBIOS 2.6
Alimentatore	300 W / 500 W
Compatibilità	PC 2001, Energy Star®, GS
Certificazioni	VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart, GS), UL

Modello	Part Number	Listino
Acer Veriton M490G Windows® 7 Professional Autentico , Intel® Core™ i3-530 (2.93GHz 4MB), 3GB DDR3, 500 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAPE3.018 PS.VAPE3.024	EUR 564.00
Acer Veriton M490G Windows® 7 Professional Autentico , Intel® Core™ i5-650 (3.220GHz 4MB), 2GB DDR3, 500 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAPE3.022 PS.VAPE3.026	EUR 623.00

Acer Veriton L480G



Caratteristiche Principali

- CPU Intel® Core™2 Duo
- CPU Intel® Pentium® processor
- Chipset Intel® G43 Express
- 250 (H) x 193 (D) x 60 (W) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Design innovativo ultra compatto da 3 litri
- Silenzioso ed affidabile
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU	Intel® Core™2 Quad processor (up to 1333 MHz) Intel® Core™2 Duo processor Intel® Pentium® processor Intel® Celeron® processor
Chipset	North Bridge: Intel® G43 Express Chipset South Bridge: ICH10R
Interfaccia di rete	Gigabit Ethernet, Independent LAN Controller: Marvell 88E8071
Memoria di sistema	Up to 4 GB of DDR3 800/1066 MHz SDRAM (dual-channel support on two DIMMs)
Interfacce di Input/Output (I/O)	Four USB 2.0 ports (Front) High-definition headphone and microphone jacks (Front) Four USB 2.0 ports (Rear) Ethernet (RJ-45) port (Rear) Three audio ports (Rear) 1x eSATA port (Rear) Serial port (Rear) Parallel port (Rear) DVI-D port (Rear) VGA port (Rear)
Scheda grafica	Intel® Graphics Media Accelerator X4500 Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support Intel® Clear Video Technology Microsoft® DirectX® 10 support
Audio	Embedded high-definition audio with 5.1-channel surround sound support, Realtek ALC662-VC
Sicurezza	Acer eLock Management Kensington lock slot OneButton Recovery
Disco fisso	Serial ATA hard disk
Dimensioni (mm)	250 (H) x 193 (D) x 60 (W) mm (without bezel)
Software di gestione	Acer eRecovery Management Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Client Manager Microsoft Office 2007 (Ready) Anti-virus 60 days free Acer Security Suite Adobe® Reader® CyberLink® PowerDVD® NTI Media Maker™
Standard industriali	PC 2001, ENERGY STAR® 5.0, GS.
Certificazioni	FCC, CE, MET, Nemko (CB & Bauart)
Alimentatore	135 W
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)

Modello	Part Number	Listino	
Acer Veriton L480G Windows® 7 Professional Autentico , Intel Pentium Dual Core E5400 (2.7GHz 2MB), 2GB DDR3, 320 GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VA1E3.028	EUR 470.00	
Acer Veriton L480G Windows® 7 Professional Autentico , Intel Core 2 Duo E7500 (2.93GHz 3MB), 2GB DDR3, 320 GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 821MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VA1E3.029	EUR 540.00	

Acer Veriton L670G



Caratteristiche Principali

- CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™)
- CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO
- Una porta eSATA (Storage)
- 250 (L) x 60 (H) x 193 (D) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Formato ultra compatto da 3 litri
- Prestazioni di eccellenza (Intel® vPro™)
- Silenzioso ed affidabile
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® XP Professional Autentico Windows® 7 Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™) Chipset Intel® Q45 Express Chipset + ICH10DO
Interfaccia di rete	LAN Gigabit 10/100/1000Mbps integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Due (2) Slot SODIMM di tipo DDR2 Dual channel 667/800Mhz Massimo 4GB complessiva
Interfacce di Input/Output (I/O)	Otto porte USB 2.0 (4 frontali, 4 retro) Una porta VGA Una porta DVI -D Una porta eSATA (Storage) Due porte Audio frontali (cuffia e microfono) Sei porte Audio nel retro (supporto 7.1 Channel) Una porta Gigabit LAN (RJ-45) Una porta seriale (tipo RS232)
Espandibilità Input/output (I/O)	Una porta Mini PCIe v1.1 (no Slot esterno)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB o Wireless (se previsto nel modello specifico)
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management Embedded TPM solution with Acer TPM-based eDataSecurity Management software One Button Recovery Kensington lock
Dimensioni (mm)	250 (L) x 60 (H) x 193 (D)mm
Software di gestione	Strumenti di gestione Acer Empowering Technology Anti Virus in versione Trial 60 gg Microsoft Office 2007 (Ready/Trial) Service Pack 1 Cyberlink® PowerDVD™ NTI Media Maker Software Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® Acer Client Manager Acer Security Suite with Wave® EMBASSY® Trust Suite
Garanzia	Un anno Carry In (scegli un pacchetto opzionale Acer Advantage per estendere la garanzia fino a tre anni On Site)
Standard industriali	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL, VCCI, MET, Eenergy Star 4.0
Alimentatore	Potenza: 135W AC (esterno di tipo Fanless)
Certificazioni	CE, FCC, BSMI, CCC, ETL, Nemko, UL, cUL, VCCI, MET, Energy Star®

Modello	Part Number	Listino
Acer Veriton L670G Windows® 7 Professional Autentico , Intel® Core™ 2 Quad Q9400 C2Q (2.66GHz 6MB), 4GB DDR2, 500GB 7200RPM, VGA Intel® Graphics Media Accelerator 4500 (on-board) fino a 1342MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, Wi-Fi, Windows® XP Professional (Dual Load multilingua), Office Ready - vPRO	PS.V70E3.008	EUR 764.00

Acer Veriton S670G



Caratteristiche Principali

- CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™), Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0 abilitabile)
- Una porta DVI -D
- 135 (W) x 395 (D) x 335 (H) mm

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Formato compatto e convertibile (utilizzabile in verticale o orizzontale)
- Completo supporto di CPU e nuovo chipset (Intel® vPro™ Ready)
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® XP Professional Autentico Windows® 7 Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™) Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0 abilitabile)
Alloggiamenti Storage	5.25": un alloggiamento esterno 3.5": quattro alloggiamenti (2 esterni + 2 interni)
Interfaccia di rete	LAN Gigabit 10/100/1000Mbps integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel Massimo 8GB complessiva
Interfacce di Input/Output (I/O)	Due porte PS/2 Una porta seriale (tipo RS232) Una porta DVI -D Una porta VGA Dieci porte USB 2.0 (4 frontali, 6 retro) Una porta Gigabit LAN (RJ-45) Sei porte Audio nel retro (supporto 7.1 Channel) Due porte Audio frontali (cuffia e microfono)
Espandibilità Input/output (I/O)	Uno Slot PCI Express® 2.0 x1 Uno Slot PCI Express® 2.0 x16 Due Slot PCI v2.3 (5 V) Una connessione per porta LPT parallela (cavo opzionale qualora nn indicato in configurazione)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management Embedded TPM solution with Acer TPM-based eDataSecurity Management software One Button Recovery Padlock and Kensington lock
Dimensioni (mm)	135 (W) x 395 (D) x 335 (H) mm
Software di gestione	Strumenti di gestione Acer Empowering Technology Anti Virus in versione Trial 60 gg Intel® Active Management Technology 5.0 (Intel® AMT 5.0) Microsoft Office 2007 (Ready/Trial) Service Pack 1 Cyberlink® PowerDVD™ NTI Media Maker Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Security Suite with Wave® EMBASSY® Trust Suite Intel® Matrix Storage Manager 8.5 Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatibile SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	Potenza: 300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino
Acer Veriton S670G Windows® 7 Professional Autentico , Intel® Core™ 2 Duo E7500 (2.93GHz 3MB), 3GB DDR3, 320GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V66E3.002 PS.V66E3.004	EUR 552.00
Acer Veriton S670G Windows® 7 Professional Autentico , Intel® Core™ 2 Quad Q8300 (2.50GHz 4MB), 4 GB DDR3, 500GB 7200RPM SATA-II, VGA Intel® GMA X4500 (on-board) fino a 1334MB, DVD RW Super Multi, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Fast Recovery Solution Hardware, Windows® XP Professional (Dual Load multilingua) - Office Ready - vPRO	PS.V66E3.003 PS.V66E3.005	EUR 693.00

Acer Veriton S680G



Caratteristiche Principali

- Supporto CPU Intel® Core™i
- Chipset Intel® Q57 Express
- 135 (W) x 395 (D) x 335 (H) mm
- Acer PnP BIOS compatibile con SMBIOS 2.6, PC 2001, Energy Star®, Intel® vPro™ technology

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Formato Micro Tower di ultima generazione
- Supporta CPU Intel® su Chipset Intel®
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Processore	Intel® Core™ i5 processor Intel® Core™ i5 processor
Chipset	Intel® Q57 Express Chipset
Memoria	Up to 16 GB of DDR3 1066/1333 MHz SDRAM (dual-channel support on four DIMMs)
Disco fisso	Serial ATA hard disk up to 1 TB RAID 0, 1, 5, 10 and Intel® Rapid Storage technology RAID capability(optional) Support for RAID 0 and 1 requires two hard drives, RAID 5 requires three, and RAID 10 requires four
Drive ottico	SuperMulti or DVD-ROM
Alloggiamento Storage	One 5.25" drive bays Four 3.5" drive bays (two external, four internal)
Scheda grafica	Intel® Core i3/i5 integrated graphics solution, featuring: • Intel® HD Graphics support • Intel® Dynamic Video Memory Technology(Intel® DVMT) support • Microsoft® DirectX® 10 support Intel® Core i7 and Core i5 700 processors require a discrete graphics card PCI Express® 2.0 x16 graphics card support
Audio	Embedded high-definition audio with 5.1-channel surround sound support
Connettività	LAN: Gigabit Ethernet
Interfacce Input/Output (I/O)	10x USB 2.0 ports (4 front, 6 rear) Rear: 2x PS/2 ports, VGA port, Ethernet (RJ-45) port, Serial port, DVI-D port, 3 audio ports High-definition headphone and microphone jacks (front) Multi-in-1 card reader (optional)
Espandibilità Input/Output (I/O)	PCI Express® 2.0 x16 slot PCI Express® 2.0 x1 slot PCI v2.3 (5 V) x2 slots Serial port connector (optional), parallel port connector (optional)
Tastiera e Mouse	Acer wireless, USB or PS/2 keyboard and mouse (optional)
Monitor	Acer LCD monitor (optional)
Software in gestione	Acer Backup Manager, Acer Client Manager, Acer eRecovery Management, Acer Security Suite Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® Intel® Active Management Technology 6.0 (Intel® AMT 6.0) Intel® Rapid Storage technology Microsoft® Office 2007 (Ready/Trial) Service Pack 2 McAfee® Internet Security Suite 2009 Trial (60 days free) Nero® 9 Essentials
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Sicurezza	Acer eLock Management, Padlock and Kensington lock slots, Intrusion alert, STMicro TPM chip with TPM 1.2 compliance, OneButton Recovery
Dimensioni (mm)	135 (W) x 395 (D) x 335 (H) mm (with bezel)
BIOS	Acer PnP BIOS compatible with SMBIOS 2.6
Alimentatore	300 W
Compatibilità	PC 2001, Energy Star®, GS, Intel® vPro™ technology (Intel® AMT 6.0)
Certificazione	VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart, GS), UL

Modello	Part Number	Listino	
Acer Veriton S680G Windows® 7 Professional Autentico, Intel® Core™ i3-530 (2.93GHz 4MB), 3GB DDR3, 500 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, tastiera multimediale e Mouse USB, Fast Recovery Solution, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VACE3.010 PS.VACE3.014	EUR 599.00	
Acer Veriton S680G Windows® 7 Professional Autentico, Intel® Core™ i5-650 (3.220GHz 4MB), 3GB DDR3, 500 GB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, Card Reader multi formato, tastiera multimediale e Mouse USB, Fast Recovery Solution, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VACE3.018 PS.VACE3.020	EUR 705.00	

Acer Veriton M670G



Caratteristiche Principali

- CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™)
- Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0, 5, 1+0 abilitabile)
- Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel
- Una porta DVI -D

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Prestazioni di eccellenza e gestibilità evoluta (Intel® vPro™ Ready)
- Semplice da utilizzare grazie all'ultima versione della Suite Acer Empowering Technology
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® XP Professional Autentico Windows® 7 Professional Autentico
CPU & Chipset	CPU Intel® Core™2 Quad processor (inclusa serie Intel® vPro™) CPU Intel® Core™2 Duo processor (inclusa serie Intel® vPro™) Chipset Intel® Q45 Express Chipset + ICH10DO (RAID 1,0, 5, 1+0 abilitabile)
Alloggiamenti Storage	5.25": due alloggiamenti esterni 3.5": sei alloggiamenti (2 esterni + 4 interni)
Interfaccia di rete	LAN Gigabit 10/100/1000Mbps integrata su Controller Ethernet Intel 82567LM
Memoria di sistema	Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel Massimo 8GB complessiva
Interfacce di Input/Output (I/O)	Due porte PS/2 Una porta seriale (tipo RS232) Una porta DVI -D Una porta VGA Dieci porte USB 2.0 (4 frontali, 6 retro) Una porta Gigabit LAN (RJ-45) Sei porte Audio nel retro (supporto 7.1 Channel) Due porte Audio frontali (cuffia e microfono)
Espandibilità Input/output (I/O)	Uno Slot PCI Express® 2.0 x1 Uno Slot PCI Express® 2.0 x16 Due Slot PCI v2.3 (5 V) Una connessione per porta LPT parallela (cavo opzionale qualora nn indicato in configurazione)
Scheda grafica	Integrata su Motherboard e basata su Chipset Intel® Q45, caratteristiche: - Motore grafico Intel® Graphics Media Accelerator 4500 - Tecnologia Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) - Supporto Microsoft® DirectX® 10
Audio	Audio High-Definition (HD) 7.1 Channel integrato basato su CODEC Audio Realtek ALC888S-VC2
Tastiera e Mouse	Mouse e tastiera USB o PS/2
Monitor	Non incluso (scegli un Monitor LCD Acer)
Sicurezza	Acer eLock Management Embedded TPM solution with Acer TPM-based eDataSecurity Management software One Button Recovery Padlock and Kensington lock
Dimensioni (mm)	180(W) x 352(D) x 440(H)mm
Software di gestione	Strumenti di gestione Acer Empowering Technology Anti Virus in versione Trial 60 gg Intel® Active Management Technology 5.0 (Intel® AMT 5.0) Microsoft Office 2007 (Ready/Trial) Service Pack 1 Cyberlink® PowerDVD™ NTI Media Maker Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Security Suite with Wave® EMBASSY® Trust Suite Intel® Matrix Storage Manager 8.5 Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatibile SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	Potenza: 300W
Certificazioni	UL, VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino
Acer Veriton M670G Windows® 7 Professional Autentico, Intel® Core™ 2 Quad Q9300 (2.5GHz 6MB), 3GB DDR3, 2x320GB SATA-II (RAID1/Mirroring Ready), VGA NVIDIA GT120 (1024MB DDR2) fino a 2303MB Total Memory uscite D-sub, DVI e HDMI, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, porta LPT, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready - vPRO	PS.V65E3.011 PS.V65E3.012	EUR 811.00

Acer Veriton M680G



Caratteristiche Principali

- Supporto CPU Intel® Core™i
- Chipset Intel® Q57 Express
- Quattro (4) Slot DIMM SDRAM di tipo DDR3 (800MHz/1066MHz) ad accesso Dual Channel

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Estrema espandibilità
- Supporta CPU Intel® su Chipset Intel®
- Risparmio energetico e tutela ambientale

Specifiche Tecniche

Processore	Processore Intel® Core™ i7 con tecnologia Intel® vPro™ Processore Intel® Core™ i7 Processore Intel® Core™ i5 con tecnologia Intel® vPro™ Processore Intel® Core™ i5 Processore Intel® Core™ i3 Processore Intel® Pentium®
Chipset	Intel® Q57 Express
Memoria	Fino ad un massimo di 16 GB DDR3 1066/1333 MHz SDRAM (supportato da dual-channel su 4 DIMMs)
Disco fisso	Disco fisso ATA fino a 1 TB RAID 0, 1, 5, 10 e tecnologia Intel® Rapid Storage RAID capability (opzionale) Supporto per RAID 0 e 1 richiede due drive di disco fisso, RAID 5 ne richiede tre, RAID 10 ne richiede quattro
Drive ottico	SuperMulti o DVD-ROM
Alloggiamenti Storage	2 alloggiamenti 5.25" 6 alloggiamenti 3.5"(2 interni, 4 esterni)
Scheda grafica	Integrata soluzione grafica Intel® Core i3/i5 caratterizzata: supporto Intel® HD Graphics, supporto della tecnologia Intel® Dynamic Video Memory (Intel® DVM), supporto Microsoft® DirectX® 10 Processori Intel® Core i7 e Core i5 700 richiedono una scheda grafica con prestazioni elevate Supporto scheda grafica PCI Express® 2.0 x16
Audio	Audio Embedded high-definition supportato da 5.1-channel surround sound
Connettività	LAN: Gigabit Ethernet
Interfacce Input/Output (I/O)	10 porte USB 2.0 ports (4 frontali, 6 retro) 2 porte PS/2 (retro) Porta VGA (retro) Porta Ethernet (RJ-45) (retro) Porta Serial (retro) Porta DVI-D (retro) 3 porte audio (retro) Jack High-definition per microfono e cuffie (frontali) Lettore Multi-in-1 (opzionale)
Espandibilità Input/Output (I/O)	16 slot PCI Express® 2.0 1 slot PCI Express® 2.0 2 slot PCI v2.3 (5 V) Connettore Serial port (opzionale) Connettore Parallel port (opzionale)
Tastiera e Mouse	Tastiera e Mouse Acer wireless, USB o PS/2 (opzionali)
Monitor	Monitor Acer LCD (opzionale)
Software in gestione	Acer Backup Manager Acer Client Manager Acer eRecovery Management Acer Security Suite Veriton ControlCenter (Acer eLock Management, Acer eSettings Management, QuickMigration, PowerSaver, SmartBoot, HelpDesk) Adobe® Reader® Intel® Active Management Technology 6.0 (Intel® AMT 6.0) Intel® Rapid Storage technology Microsoft® Office 2007 (Ready/Prova) Service Pack 2 McAfee® Internet Security Suite 2009 Trial (periodo di prova di 60 giorni è gratuita) Nero® 9 Essentials
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Sicurezza	Acer eLock Management Slot Padlock e Kensington lock Intrusion alert STMicro TPM chip con TPM 1.2 compliance OneButton Recovery
Dimensioni (mm)	180 (L) x 440 (P) x 352 (A) (con bezel)
BIOS	Acer PnP BIOS compatible with SMBIOS 2.6
Alimentatore	300 W / 500 W
Compatibilità	PC 2001, Energy Star®, GS, Intel® vPro™ technology (Intel® AMT 6.0)
Certificazione	VCCI, FCC, CE, BSMI, CCC, MET, Nemko (CB & Bauart, GS), UL

Modello	Part Number	Listino	
Acer Veriton M680G Windows® 7 Professional Autentico , Intel® Core™ i5-650 (3.220GHz 4MB), 4GB DDR3, 640 GB 7200PRM SATA-II, VGA Intel® Graphics Media Accelerator X4500 (on-board), DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAAE3.011 PS.VAAE3.015	EUR 729.00	
Acer Veriton M680G Windows® 7 Professional Autentico , Intel® Core™ i5-750 (2.66GHz 8MB), 4GB DDR3, 1TB SATA-II NVIDIA GT120 (1024MB DDR2) - 2303MB TM, D-sub, DVI & HDMI, DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.VAAE3.012 PS.VAAE3.018	EUR 846.00	

Acer Veriton M67WS



Caratteristiche Principali

- Windows7 Professional 64bit
- Intel® Core™2 Quad processor with Intel® vPro™ Intel® Core™2 Duo processor with Intel® vPro™ Intel® Core™2 Quad processor Intel® Core™2 Duo processor
- Chipset Intel® Q45 Express / ICH10DO
- Opzioni VGA nVidia Quadro work station (Quadro NVS290 nVidia Quadro FX570 nVidia Quadro FX1700)

Target Utenti

- Soluzioni per professionisti e piccoli uffici
- Piccole e medie imprese
- Grandi aziende

Punti Chiave

- Soluzione Workstation con sistema operativo a 64bit
- Soluzione Workstation certificata nVidia Quadro
- Rispetta l'ambiente (Green PC)

Specifiche Tecniche

Sistemi operativi supportati	Windows® 7 Professional Autentico Windows® XP Professional Autentico
CPU & Chipset	Intel® Core™2 Quad processor Intel® Core™2 Duo processor Intel® Q45 Express chipset with ICH10DO
Alloggiamenti Storage	2 x external 5.25" drive bays 6 x 3.5" bays (two external, four internal)
Interfaccia di rete	Embedded Intel 82567LM gigabit ethernet
Memoria di sistema	4 x DDR3 1066MHz dual channel SDRAM
Interfacce di Input/Output (I/O)	2 x PS/2 ports 1 x RS232 serial port 1 x DVI-D video port 1 x VGA (D-sub) video port 10 x USB 2.0 ports (four front, six rear) 1 x Gigabit ethernet (RJ-45) port 6 x rear audio jacks for 7.1 channel high definition audio High definition headphone and microphone jacks - front and rear
Espandibilità Input/output (I/O)	1 x PCI Express® 2.0 x1 slot 1 x PCI Express® 2.0 x16 slot 2 x PCI v2.3 (5 V) slots 1 x LPT parallel port connector
Scheda grafica	Intel® Q45 on-board graphics solution, featuring: - Intel® Graphics Media Accelerator 4500 - Intel® Dynamic Video Memory Technology 5.0 (Intel® DVMT 5.0) support - Microsoft® DirectX® 10 support
Audio	Embed high-definition audio with 7.1 channel Realtek ALC888S-VC2 audio CODEC
Tastiera e Mouse	PS/2 or USB keyboard and optical mouse
Monitor	Options of 17" or 19" (4:3 or 16:9) Acer LCD
Sicurezza	Acer eLock Management Embedded TPM solution with Acer TPM-based eDataSecurity Management software One Button Recovery Padlock and Kensington lock slot
Dimensioni (mm)	180(W) x 352(D) x 440(H)mm
Software di gestione	Acer Empowering Technology Free anti-virus 60 day trial Intel® vPro and Active Management Technology 5.0 (Intel® AMT 5.0) Microsoft Office 2007 (Ready/Trial) Service Pack 1 Cyberlink® PowerDVD™ NTI Media Maker Veriton ControlCenter (QuickMigration, PowerSaver, SmartBoot, HelpDesk) Acer Security Suite with Wave® EMBASSY® Trust Suite Intel® Matrix Storage Manager 8.5 Adobe® Reader®
Garanzia	3 anni (1 anno On Site, 2 anni Carry In)
Standard industriali	BIOS compatible with SMBIOS 2.5, PC 2001, ENERGY STAR® 4.0, EPEAT, Intel® vPro™ (Intel® AMT 5.0), GS
Alimentatore	300W
Certificazioni	CE, FCC, CB, MET, Nemko (CB & Bauart)

Modello	Part Number	Listino
Acer Veriton M67WS Windows® 7 Professional Autentico (64bit), Intel Core 2 Quad Q9400 (2.66GHz 6MB), 8GB DDR3, 1TB 7200RPM SATA-II, VGA Intel® Graphics Media Accelerator 4500 (on-board), DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V95E3.003	EUR 893.00
Acer Veriton M67WS Windows® 7 Professional Autentico (64bit), Intel Core 2 Quad Q9400 (2.66GHz 6MB), 4GB DDR3, 1TB 7200RPM SATA-II, VGA Quadro FX570 PCIe 16x (512MB), DVD RW Super Multi, Card Reader multiformato, tastiera multimediale e Mouse USB, Speaker interno, Windows® XP Professional (Dual Load multilingua) - Office Ready	PS.V95E3.005	EUR 1058.00